



# STATUTORY DECLARATION Registration of Fittings

l, Ne	wll Kraik	President		In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.
	(name of applicant)	(position title) (m	ust be in a position of authority)	
of O	ntario Hose Specialties Ltd			ONTARIO HOSE
	L 400 D L D 0	(name of manufacturer)	20	(677) 668-4673 www.ontarlohose.com
iocate	d at 480 Polymoore Dr., C	orunna, Ontario, NUN 10 (plant address)	<del>5</del> 0	Caralle And Carall
do sol (chec	emnly declare that the fittin cone)	,,	ch are subject to the Safety	/ Codes Act
	comply with the requireme		31.1,B31.3,B31.3 which orth American Standard)	specifies the dimensions,
	materials of construction,	pressure/temperature ra	atings and identification ma	rking of the fittings, or
	are not covered by the pro	visions of a recognized	North American standard a	and are therefore manufactured
	to comply with		a	s supported by the attached
	(title o	f code of construction or other	applicable document)	
	data which identifies the d	mensions, materials of	construction, pressure/temp	perature ratings and the basis
•	for such ratings, and the m	arking of the fittings for	identification.	2
I furth	er declare that the manufac	ture of these fittings is c	ontrolled by a quality contro	ol program which has been
verifie	d by the following authority,	CMA Quality Internation	nal as being suitab	le for the manufacture of
	fittings to the stated standal		77-	ch I seek registration, are
_	port of this application, the t	(brief description of fittir Following information, ca	= '	are attached:
				~
DECL	ARED before me at	SSISSAUGA in the (city) , (Month)	Drince of 6	Ontono (province or state)
(print)	te Commissioner of Oaths or	Liebs-benke		
(sign)	(a Commissioner of Oaths or	Notary Public)	(signature	of applicant)
For Al	BSA Office Use Only:			
NOTE	S:	#		
	best of my knowledge and ard B51, Clause 4.2, and is			e Safety Codes Act and CSA
Regist	ration Number 0 D 0 6	048.52	Signature of	the Administrator/SCO)
Date R	legistered:	08 2020	Expiry Date: Nov	11, 2029

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline.



Suite 600 - 2889 E 12th Ave Vancouver, BC V5M 4T5

Toll Free: 1-866-566-7233 www.technicalsafetybc.ca

TECHNICAL STANDARDS & SAFETY AUTHORITY 345 CARLINGVIEW DRIVE TORONTO ON M9W 6N9

Date:

December 16, 2019

Account #: 35231 Journal #: 74813

Attn: TANYA FRANCIS

Re: Application for Design Registration

The design, as detailed in your, CRN: 0D6048.5R4, for a Fitting is accepted for registration as follows:

Registered To: ONTARIO HOSE SPECIALTIES LTE CRN: 0D6048.51

Drawing #: Scope of Registration

Drawing Revision: N/A

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

#### Reviewer's Notes:

As required by CSA B51 4.2.1, this registration expires on 11-Nov-2029. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in TSSA CRN# 0D6048.5R4 registration shall apply to BC registration.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Janina Mihailescu

janina.mihailescu@technicalsafetybc.ca Design Administration

CC:



12/31/2019

TSSA 345 Carlingview Drive Toronto, ON M9W 6N9

Dear Joanna Karpinski

### Re: Reciprocal CRN Registration in Manitoba

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number: 74-R311

CRN:

0D6048.54

Scope:

See attached "Part of CRN" for the scope

Manufacturer: Ontario Hose Specialties Ltd.

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact me directly via email at Cheryl.Lashek@gov.mb.ca for any questions or concerns.

Cheryl Lashek, P.Eng Director, ITSM

Inspection and Technical Services
Office of the Fire Commissioner
508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8
T (204) 945-3507 | F (204) 948-2309

	EDWARD ISLAND NEST TERRITORIES	NEWFOUNDLAND AND LABRADOR			
MANUFACTURERS NAME: Ontario Hose Specialties Ltd.					
MANUFACTURERS ADDRESS: 480 Polymoore Drive					
PLANT LOCATIONS: Corunna, Ontario					
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ON	V. V	TITLE OF THE STANDARD OF CONSTRUCTION			
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe co B Flanges: all flanges	aps, or reducers	CSA B51			
C Valves: all line valves		ANSI B31.1			
D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps		ANSI B31.3			
F Measuring devices, including pressure gauges, level gauges, sight glass	es, levels, or	ANSI B31.5			
pressure transmitters  G Certified capacity-rated pressure relief devices acceptable as primary ov	er pressure protection on	pressure piping code			
boilers, pressure vessels, piping and fusible plugs  H Pressure retaining components that do not fall into one of the above cate	boiler & pressure vessel				
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting AEC	code				
HOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL		TYPE OF CONSTRUCTION			
		FORGED WELDED WROUGHT			
		CAST OTHER DESCRIBE OTHER:			
		1			
The second secon		y. 11			
IST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF TH	HE ACTUAL ITEMS TO BE RE	GISTERED:			
hose assemblies to be registered		×			
proof pressure test					
certificate of authorization					
letter of compliance					
knowledge represents the product for which registration is sought.	The dimensions, material	d in this form is true and to the best of			
knowledge represents the product for which registration is sought.  nperature ratings, and identification markings are in accordance wit nufacture of these fittings is regulated by a Quality Control Program n part and has been verified by	The dimensions, material th the herein named standa n which extends to each pla as being suitable for the	s of construction present a partie of the construction of the cons			
nperature ratings, and identification markings are in accordance will nufacture of these fittings is regulated by a Quality Control Prograr	The dimensions, material th the herein named standa n which extends to each pla as being suitable for the	s of construction present a partie of the construction of the cons			
nperature ratings, and identification markings are in accordance will nufacture of these fittings is regulated by a Quality Control Program part and has been verified by	The dimensions, material th the herein named standa n which extends to each pla as being suitable for the	s of construction present a partie of the construction of the cons			
nufacture of these fittings is regulated by a Quality Control Program part and has been verified by	The dimensions, material th the herein named standa n which extends to each pla as being suitable for the	s of construction present a partie of the construction of the cons			
nperature ratings, and identification markings are in accordance with nufacture of these fittings is regulated by a Quality Control Program part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer:	The dimensions, material that the herein named standan which extends to each play as being suitable for the is of the same force and efficient the same force and	s of construction present a partie of the construction of the cons			
negrature ratings, and identification markings are in accordance will nufacture of these fittings is regulated by a Quality Control Program part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer:  Clared before me at day of AD AD AD	The dimensions, material that the herein named standan which extends to each place as being suitable for the is of the same force and effective to the same fo	s of construction present a partie of the construction of the cons			
perature ratings, and identification markings are in accordance with nufacture of these fittings is regulated by a Quality Control Program part and has been verified by laration conscientiously believing it to be true, and knowing that it mature of Declarer:  Clared before me at day of AD	The dimensions, material that the herein named standan which extends to each place as being suitable for the is of the same force and effective to the same fo	s of construction present a partie of the construction of the cons			
nufacture of these fittings is regulated by a Quality Control Program part and has been verified by staration conscientiously believing it to be true, and knowing that it mature of Declarer:  clared before me at day of AD	The dimensions, material that the herein named standan which extends to each place as being suitable for the is of the same force and effective of the same fo	s of construction present a partie of the construction of the cons			
nufacture of these fittings is regulated by a Quality Control Program part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer:  clared before me at day of AD	The dimensions, material that the herein named standan which extends to each place as being suitable for the is of the same force and effect of the same force an	s of construction present a partie of the construction of the cons			
nufacture of these fittings is regulated by a Quality Control Program part and has been verified by laration conscientiously believing it to be true, and knowing that it mature of Declarer:  clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect that the same	s of construction pressure; irds. I further displaye that the ant whole the received of each to pole at purpose case is near the construction.  Contact the received in			
nufacture of these fittings is regulated by a Quality Control Program part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer:  clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect of the same force an	s of construction pressure and the property of			
nufacture of these fittings is regulated by a Quality Control Program part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer:  clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect of the same force an	S of construction pressure and the property of			
nufacture of these fittings is regulated by a Quality Control Program part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer:  clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect of the same force an	Sof construction pressure and income and whole the construction of			
nufacture of these fittings is regulated by a Quality Control Program nufacture of these fittings is regulated by a Quality Control Program n part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer:  clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect of the same force an	Nouveauk  TICE PUBLIC SAFETY  ESSURE VESSEL ACT			
nufacture of these fittings is regulated by a Quality Control Program nufacture of these fittings is regulated by a Quality Control Program n part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer:  clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect of the same force an	Sof construction pressure and income and whole the construction of			
nufacture of these fittings is regulated by a Quality Control Program n part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer: clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect of the same force an	Nouveauk  Tice Public Safety  SSURE VESSEL ACT  RATION ONLY  COURSE TO SERVE ACT  RATION ONLY  COURSE TO SERVE ACT  RATION ONLY  COURSE TO SERVE ACT  COURSE			
nufacture of these fittings is regulated by a Quality Control Program near and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer: clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect of the same force an	Sof construction pressure and income and whole the construction of			
nufacture of these fittings is regulated by a Quality Control Program n part and has been verified by claration conscientiously believing it to be true, and knowing that it mature of Declarer: clared before me at day of AD	The dimensions, material that the herein named standar which extends to each place as being suitable for the is of the same force and effect of the same force an	Nouveauk  Tice Public Safety  SSURE VESSEL ACT  RATION ONLY  COURSE TO SERVE ACT  RATION ONLY  COURSE TO SERVE ACT  RATION ONLY  COURSE TO SERVE ACT  COURSE			

☑FITTINGS ☐ NUCLEAR COMPONENTS



Technical Standards and Safety Authority 345 Carlingview Drive Toronto, Ontario M9W 6N9 www.tssa.org

**CRN** for Ontario

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

CATA HARD WOST SPECIALTED IND. (877) 008-4673 www.ontarlohose.com

## STATUTORY DECLARATION Registration of Fittings Newell Kraik, President (Name and Position, e.g. President, Plant Manager, Chief Engineer) of Ontario Hose Specialties Ltd. (Name of Manufacturer) Located at 7245 Pacific Circle, Mississauga, On, L5T 1V1 (905) 670-0113 (905) 670-4958 (Fax No.) (Plant Address) (Telephone No.) do solemnly declare that the fittings listed hereunder, which are subject to the Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, comply with all of the requirements of CSAB51, ANSTEB31.1, ANSI B31.3, ANSI B31.5, boiler and pressure vesselc ode, pressure piping code (Title of recognized North American Standard) which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service; or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service. I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2015 which has been verified by the following authority, CMA Quality International The items covered by this declaration, for which I seek registration, are category D type fittings. In support of this application, the following information and/or test data are attached as follows: Hose assemblies to be registered with TSSA, Proof pressure test, certification of authority, letter of compliance (drawings, calculations, test reports, etc.) Commissioner for (Signature) FOR OFFICE USE ONLY Technical Boilers and To the best of my knowledge and belief, the application meets the requirements of the Standards Pressure Vessels andSafoty Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and Authority Safety Program CSA Standard B51 and is accepted for registration in Category NOTE: SEE ATTACHED Registered by: Dated: NOV.11.2019 NOTE: This registration expires on: NOV.11, 2029

<sup>\*</sup>Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.

REGISTERED

CRN: CSA -OD6048.56

Registration Process administered by

Statutory Declaration Registration of Fittings


(a) Design Qualification	CSA Group per CSA B51						
Newell Kraik, President							
(Decilies on exceldent plant manager of							
(Position eg, president, plant manager, ch	lef eng.)						
Of: Quebec Hose Specialties Ltd. (Specialite Boyaux Quebec)							
(name of company)							
Located at 1900 Hymus Blvd. Dorval, QC, H9P 1J7							
(plant address)							
do solemnly declare that the fittings listed hereunder, which are subject to the Boilers a	& Pressure Vessels Act:						
comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required: CSA B51, ANSI B31.1, ANSI B31.3, ANSI B31.5, pressure piping code, boiler and pressure vessel code							
are not covered by the provisions of the ANSI/ASME codes, and are thereforecode and standard, and are designed to the best current eng data.							
(b) Quality control of Manufacture  I further declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of							
ISO 9001:2015 , and has been verified by the following authority or author							
The fittings <sup>2</sup> covered by this declaration, for which I seek registration, are <u>Category D</u>	) Fittings						
In support of the application, the following information, calculations and/or test data are attached: See Attached							
n the or Regional Municipality of feel							
The Day of June AD \$2019							
Lene Liebs - Kenke	Signature of Declarer						
For Official Use Only							
The application is accepted for registration in Category	ce with the Boilers and Pressure Vessels Act and						
This registration must be revalidated after ten was from the date of acceptance. EXP: 11 <sup>TH</sup> Nov 2029							
Registered Number CRN CSA - OD604-8.56R4 For the Chief Date	Inspector DEC-205-2019						

2 All fittings are required to be registered in the name of the Manufacturer.

P:\USAGERS\RECPSK1\CORBIM\STATUTORYDECLARATIONREGISTRATIONOFFITTINGS.DOC

Three completed copied of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.

This form shall be completed and signed by the president of highest official in the manufacturing plan where the fitting is produced.



2202 2nd Ave. Regina, SK S4R 1K3

Safety Authority Process administered AXX/(306)798-7112 Toll Free: (866)530-8599

of Saskatchevan per CSA B51

PH: (306)798-7112 Toll Free: (866)530-8599

Email: boilerpermits@tsask.ca
Website: www.tsask.ca

# Statutory Declaration (Registration of Fittings)

**Technical** 

			TSK-100				
I. Dec	claration Information						
, Ne	well Kraik, President	* 27	In this space, show facsimile of				
, <sub>:=</sub>			manufacturer's logo or trademark as it will appear on the fitting.				
_	(company title, e.g. vice president, plant m (must be in a position of authority in the manufacturing		ONTARIO HOER				
of: On	tario Hose Specialties Ltd.		(877) 668-4673 www.ontarlohose.com				
	(name of manufac						
located		Mississauga, ON	L5T 1V1				
	(Plant Address - Apt/Street) mnly declare that the fittings listed hereir Safety Act (check one)	(City,Prov) nunder, which are subject to the <b>Sask</b>	(Postal Code) atchewan Boiler and Pressure				
Comply with the requirements of CSA B51, ANSI B31.1,B31.3,B31.5 which specifies the dimensions, (title of recognized North American Standard)							
7	Materials of construction, pressure / temp	erature ratings and identification mark	king of the fittings, or				
Are not covered by the provisions of a recognized North American standard and are therefore manufactured							
C	to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis						
	or such ratings, and the marking of the fit						
I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, <a href="Mailto:CMA Quality International">CMA Quality International</a> as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Category D fittings							
in supp	ort of this application, the following inforn	nation, calculations and / or test data a	are attached:				
see at	tached						
l. De	claration 6	THE PERSON SHALL	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7				
		In the North and	of Alustana				
DECLA	RED before me at Tississauga	In the ANDYONGE	or work				
this lot day of June, 2019							
5	Karrelling houd	0					
(print)	ame)	(Signature)					
( ) I migrature to the contract of the contrac							
Signat	ore of Commissioner of Oaths)						
y decimalization							
o the be	ice Use Only est of my knowledge and belief, the application , Clause 4.2, and is accepted for registration  OD604-8.56 R4						
	ration Number)	(Date Registered FMM DD YYYY) (For the Administrator / Chief Inspector)	(Expiry Date – MM DD YYYY) A. BANWATT				

\*Note:

1. See attachment as the scope of registration.

2. Renewal registration without design change.

3. Technical review performed in the previous registration.

